



Guangzhou Bokipet Technology
Co., Ltd.

PRODUCT INTRODUCTION

PET 4G GPS TRACKER WITH HEALTH MONITOR



Factory: 2/F, Buildings 1 & 3, No. 3 Industrial Zone, Beifu Road, Lezhujiao,
Huangmabu Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, China

15 SMART FEATURES

For Your Pet's Safety & Health



4G Tracking



Wi-Fi Tracking



A-GPS



Activity Data



Health



Geofence



Step Counter



Route History



Alerts



Multi-User



Long Standby



SIM Card



Digital ID




One-Tap Find



Battery Alert

C08PLUS



C08



PATENTS & CERTIFICATIONS

证书号第8734250号



外观设计专利证书

外观设计名称：宠物定位器（PZH-C08）

专利权人：深圳市海联华实业有限公司

地址：518100 广东省深圳市宝安区西乡街道恒明珠工业园B栋5楼东

设计人：张谋军

专利号：ZL 2023 3 0830505.0

专利申请日：2023年12月18日

申请日时申请人：深圳市海联华实业有限公司

申请日时设计人：张谋军

国家知识产权局依照中华人民共和国专利法进行审查，决定授予专利权，并予以公告。专利权自公告之日起生效。专利权有效性及专利权人变更

局长 申长雨

第1页(共1页)

证书号第22018205号



实用新型专利证书

实用新型名称：一种便携式宠物项圈定位器

专利权人：深圳市海联华实业有限公司

地址：518000 广东省深圳市宝安区西乡街道前进路边西乡林果所恒明珠工业园B栋5楼东

发明人：张谋军

专利号：ZL 2024 2 0722633.2

授权公告号：CN 222030984 U

专利申请日：2024年04月09日

授权公告日：2024年11月22日

申请日时申请人：深圳市海联华实业有限公司

申请日时发明人：张谋军

国家知识产权局依照中华人民共和国专利法进行审查，决定授予专利权，并予以公告。专利权自公告之日起生效。专利权有效性及专利权人变更等法律信息以专利登记簿记载为准。

局长 申长雨

第1页(共1页)

Attestation of Compliance

Attestation No. : LCSA06034214E

Approval Holder : Shenzhen Pet Baby Technology Co., LTD

Address : 504, Building B, Lin guo suo hengmingzhu Industrial Park, Taoyuan Community, Xixiang Street, Baoan District, Shenzhen, China

Manufacturer : Shenzhen Pet Baby Technology Co., LTD

Address : 504, Building B, Lin guo suo hengmingzhu Industrial Park, Taoyuan Community, Xixiang Street, Baoan District, Shenzhen, China

Brand Name : N/A

Product : Pet GPS Tracker & Health Monitor

Type/Model Name : C08, WOY-028

US Version : HW: / SW: /

if the technical design of the radio equipment accor
i set out in article 3 of the RED 2014/53/EU:

Health and Safety
Electromagnetic
Effective Use of the Radio

ple (Class 1)

in is issued in accordance with the Directive 2014/53/E
l of 16 April 2014 on the harmonisation of the laws of th
ble on the market of radio equipment.

2024

1840

Compliance Testing Laboratory Ltd.
1, Building A and Room 301, Building C, Ji Ji Industrial Park, Yabansue
Shenzhen, Guangdong, China
2511330 Fax: (86)055-82591332
081000 Email: webmaster@tc-lab.com

TCB

GRANT OF EQUIPMENT
AUTHORIZATION
Certification
Issued Under the Authority of the
Federal Communications Commission
By:

PHOENIX TESTLAB GmbH
Koenigswinkel 10
32825 Blomberg,
Germany

Date of Grant: 07/17/2024

Application Dated: 07/17/2024

Shenzhen Pet Baby Technology Co., LTD
504, Building B, Lin guo suo hengmingzhu Industrial
Park, Taoyuan Community, Xixiang Street
Baoan District, Shenzhen, Guangdong, 518100
China

Attention: Ede Zhao

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2BG3Q-C08
Name of Grantee: Shenzhen Pet Baby Technology Co., LTD
Equipment Class: Licensed Non-Broadcast Station Transmitter
Notes: Pet GPS Tracker & Health Monitor

Grant Notes.

FCC Rule Parts

	Frequency Range (MHz)	Output Watts	Frequency Tolerance	Emission Designator
22H	829.0 - 844.0	0.12	0.078 PM	9M03G7D
22H	829.0 - 844.0	0.099	0.078 PM	9M02W7D
22H	825.5 - 847.5	0.13	0.077 PM	2M71G7D
22H	826.5 - 846.5	0.103	0.077 PM	4M55W7D
27	2506.0 - 2680.0	0.088	0.025 PM	18M0W7D
27	2506.0 - 2680.0	0.112	0.025 PM	18M1G7D
27	2501.0 - 2685.0	0.112	0.026 PM	9M02G7D

Output power listed for LTE Band 5 is maximum ERP. Output power listed for LTE Band 41
are maximum EIRP.
It supports LTE (QPSK, 16QAM)
LTE B5, B41
Channel Bandwidth (1.4/3/5/10 MHz) for LTE B5,
Channel Bandwidth (5/10/15/20 MHz) for LTE B41
This device contains functions that are not operational in U.S. Territories, this filing is only
applicable for U.S. operations.
SAR compliance for body-worn operating configurations is limited to the belt-clips, holsters
or similar accessories that have no metallic component in the assembly and must provide
at least 0 mm separation between the device and the user's body. End-users must be
informed of the body-worn operating requirements for satisfying RF exposure compliance.
The highest reported SAR values for body-worn accessory is 0.49 W/kg.

Attestation of Compliance

Reference No. : LCSA06034214R

Applicant : Shenzhen Pet Baby Technology Co., LTD

Address : 504, Building B, Lin guo suo hengmingzhu Industrial Park, Taoyuan Community, Xixiang Street, Baoan District, Shenzhen

Sample Name(s) : Pet GPS Tracker & Health Monitor

Trade Mark : N/A

Tested Model No. : C08

Model List : WOY-028

Tested according to : IEC 62321-1:2013, IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017 CSV, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-8:2017

the council directive 2011/65/EU and that the listed product complies with applies only to the sample and its Compliance Testing Laboratory Ltd.

station as well as the EC conformity in the product. Other relevant

TCB

GRANT OF EQUIPMENT
AUTHORIZATION
Certification
Issued Under the Authority of the
Federal Communications Commission
By:

PHOENIX TESTLAB GmbH
Koenigswinkel 10
32825 Blomberg,
Germany

Date of Grant: 07/17/2024

Application Dated: 07/17/2024

Shenzhen Pet Baby Technology Co., LTD
504, Building B, Lin guo suo hengmingzhu Industrial
Park, Taoyuan Community, Xixiang Street
Baoan District, Shenzhen, Guangdong, 518100
China

Attention: Ede Zhao

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2BG3Q-C08
Name of Grantee: Shenzhen Pet Baby Technology Co., LTD
Equipment Class: Licensed Non-Broadcast Station Transmitter
Notes: Pet GPS Tracker & Health Monitor

Grant Notes.

FCC Rule Parts

Frequency Range (MHz) Output Watts Frequency Tolerance Emission Designator

22H	829.0 - 844.0	0.12	0.078 PM	9M03G7D
22H	829.0 - 844.0	0.099	0.078 PM	9M02W7D
22H	825.5 - 847.5	0.13	0.077 PM	2M71G7D
22H	826.5 - 846.5	0.103	0.077 PM	4M55W7D
27	2506.0 - 2680.0	0.088	0.025 PM	18M0W7D
27	2506.0 - 2680.0	0.112	0.025 PM	18M1G7D
27	2501.0 - 2685.0	0.112	0.026 PM	9M02G7D

Output power listed for LTE Band 5 is maximum ERP. Output power listed for LTE Band 41
are maximum EIRP.
It supports LTE (QPSK, 16QAM)
LTE B5, B41
Channel Bandwidth (1.4/3/5/10 MHz) for LTE B5,
Channel Bandwidth (5/10/15/20 MHz) for LTE B41
This device contains functions that are not operational in U.S. Territories, this filing is only
applicable for U.S. operations.
SAR compliance for body-worn operating configurations is limited to the belt-clips, holsters
or similar accessories that have no metallic component in the assembly and must provide
at least 0 mm separation between the device and the user's body. End-users must be
informed of the body-worn operating requirements for satisfying RF exposure compliance.
The highest reported SAR values for body-worn accessory is 0.49 W/kg.

Compliance Testing Laboratory Ltd.
1, Building A and Room 301, Building C, Ji Ji Industrial Park, Yabansue
Shenzhen, Guangdong, China
2511330 Fax: (86)055-82591332
081000 Email: webmaster@tc-lab.com


1/1

Matian Street, Guangming District,
www.tc-lab.com






SELECTED NEW PRODUCTS



2026-5-14

C08PLUS Digital ID Tag 4G GPS Tracker + Health Monitor

- Digital ID tag + GPS positioning
- Health data: steps, sleep, calories, activity duration, distance and history
- Real-time positioning: fast 4G, family location sharing and geofence
- Tuya APP: U.S.-listed company; free to use; no monthly subscription fee
- P66 waterproof: ultrasonic shell assembly + Type-C charging to help ensure water resistance
- Digital ID tag helps the pet find its owner
- Battery life: 10+ days standby; ultra-low standby power consumption
- Functions: real-time GNSS + GPS + LBS + Wi-Fi tracking + activity/health monitoring




Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
123	Tracker: 9*3.5 Trainer:	21.8*8.9 6*4.8	50	46.5*4 5.3*27. 0	14.2

MOQ	
Price	--
Remarks	Custom logo, color and packaging.

C08PLUS-PX Digital ID Tag 4G GPS Tracker + Health Monitor + Geofence Alert

- Digital ID tag + GPS positioning + geofence alert (voice recording supported)
- Health data: steps, sleep, calories, activity duration, distance and history
- Real-time positioning: fast 4G, family location sharing and geofence
- Tuya APP: U.S.-listed company; free to use; no monthly subscription fee
- P66 waterproof: ultrasonic shell assembly + Type-C charging to help ensure water resistance
- Detachable geofence-alert module reduces the load on the pet
- Owner voice can be recorded; the digital ID tag helps the pet find its owner
- Battery life: 10+ days standby; ultra-low standby power consumption
- Functions: real-time GNSS + GPS + LBS + Wi-Fi tracking + activity/health monitoring

Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
308.5	Tracker: 9*3.5 Trainer:	21.8*8.9 6*4.8	50	46.5*4 5.3*27	16



MOQ	
Price	--
Remarks	Custom logo, color and packaging.

C08 Latest 4G GPS Tracker + Health Monitor

- Super mini: compact and lightweight, only 27.5 g
- Health data: steps, sleep, calories, activity duration, distance and history
- Real-time positioning: fast 4G, family location sharing and geofence
- Tuya APP: U.S.-listed company; free to use; no monthly subscription fee
- P66 waterproof: ultrasonic shell assembly + magnetic charging dock to help ensure water resistance
- Easy to wear: rear alligator clip attaches to a collar, harness, clothing and more
- Battery life: 3-7 days standby; ultra-low standby power consumption
- Functions: real-time GNSS + GPS + LBS + Wi-Fi tracking + activity/health monitoring



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
27.5	4.23*4.2 3*2.138	11*9*3.5	60	35x38 x23.5	7.6

MOQ	
Price	--
Remarks	Custom logo, color and packaging.

C09 4G GPS Tracker

- Recommended: comprehensive functions, attractive design and a highly competitive price
- Real-time positioning: fast 4G, route history and geofence
- Positioning: GSM / GPRS / GPS / Wi-Fi
- 365 GPS APP: easy to use, free, no monthly subscription fee
- P65 waterproof: magnetic charging helps ensure water resistance
- Battery life: 7 days standby; ultra-low standby power consumption
- Product size / weight: 55 x 25 x 20 mm / 30.5 g
- Standard package: 1 black tracker, 1 nylon collar, 1 magnetic charging cable



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
30.5	5.5*2.5*2	11*9*3.5	60	35x38x23.5	9

MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and collar.

B08 Solar Harness GPS Tracker

- No charging needed: automatic solar charging for worry-free outdoor use
- Health data: steps, sleep, calories, activity duration, distance and history
- Real-time positioning: fast 4G, family location sharing and geofence
- Tuya APP: U.S.-listed company; free to use; no monthly subscription fee
- P65 waterproof: magnetic + solar charging helps ensure water resistance
- Easy to wear: breathable pet harness with hook-and-loop design; easy to put on and clean
- Functions: real-time GPS tracking + activity/health monitoring + automatic solar charging




Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
265	32*28	35x19.5x12	8	49*36*40	6

MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and harness.

C10 Global-Network Solar 4G GPS Tracker for Cattle & Sheep

- Features: global network / 6-month ultra-long standby / free app service / smart solar charging / cold & heat resistant / app monitors multiple devices
- Standby time: approx. 6 months
- Positioning: GPS + Glonass + BDS + LBS
- SIM card: 1 SIM card slot
- GSM chip: SIMCOM 7670G
- Waterproof rating: IP67
- Battery: 16800 mAh
- Product size / weight: 130 x 91 x 30 mm / 405 g
- Functions: real-time positioning / route history / geofence / long standby / night light / auto sleep

Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
405g	13*9.1 *3	16.5*1 5.5*4.5	20	33.2*3 1.2*23	13



MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and collar.

T01 Pet Toy Ball - 2025 Model

- Recommended: multifunction toy ball combining memory training and play
- Memory training: base + ball; press the ball to play a pre-recorded sound
- Play mode: separate the ball from the base; the ball is for play and the base is a slow-feeder bowl
- Record up to 30 seconds of training commands or pet-interaction audio



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
226	19.8*19.8*8.1	21*21*8.5	20	45*44*44	9.2

MOQ	1000pcs
Price	--
Remarks	Custom logo, color and packaging.

M06 Pet Nail Grinder with Clippers - 2026 Latest

- Recommended: multifunction pet nail grinder with diamond grinding head, dual LED lights and multiple attachments
- Digital display + 6 speed levels
- 2000 mAh battery
- Ergonomic handle + dustproof housing
- Quiet motor



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
188g	16*3.7 5	9.85*1 7.8*4.4	60	51*28* 37.6	19.2

MOQ	
Price	--
Remarks	Custom logo, color and packaging.

M06 Pet Nail Grinder without Clippers - 2026 Latest

- Recommended: multifunction pet nail grinder with diamond grinding head, dual LED lights and multiple attachments
- Digital display + 6 speed levels
- 2000 mAh battery
- Ergonomic handle + dustproof housing
- Quiet motor




Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
188g	16*3.7 5	8.35*1 7.8*4.4	60	4.35*2 8*37.6	15.5

MOQ	
Price	--
Remarks	Custom logo, color and packaging.

MS03 Mini Pet Grooming Brush - 2025 Model

- Recommended: multifunction pet grooming brush with mist, UV sterilization and a water-fill handle
- Structure: handle and main body are detachable
- 500 mAh battery

Weight (g)	Product Size (cm)	New Color Box Size (cm)	Qty/Carton (pcs)	New Carton Size (cm)	G.W./N.W. (kg)
100g	11.2*16.5	11.9*12.9*5	60	41.5*40.5*27	10.5



MOQ	
Price	--
Remarks	Custom logo, color and packaging.

MS01 Pet Grooming Brush - 2025 Model

- Recommended: multifunction pet grooming brush with mist, UV sterilization and a solution-fill handle
- Structure: handle and main body are detachable
- 500 mAh battery



Weight (g)	Product Size (cm)	New Color Box Size (cm)	Qty/Carton (pcs)	New Carton Size (cm)	G.W./N.W. (kg)
184g	11.2*19	13.65*15.4*6.15	60	56*47.7*32.75	16

MOQ	1000pcs
Price	--
Remarks	Custom logo, color and packaging.

M1 Mini Vibration Pet Behavior Reminder

- Function: vibration
- Battery: 180 mAh
- Standby time: 15 days
- Remote range: 100 m
- Size: 42.7 x 43 x 26 mm
- Weight: 19 g (receiver); 17 g (remote)
- Package: box, receiver + remote, USB cable and user card



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
40	4.27*4.3*2.6	13*10.5*2.6	150	54.3*40.3*28	19

MOQ	1000pcs
Price	--
Remarks	Custom logo, color and packaging.

X06C No-Shock Color-Screen Bark Collar

- Features: no shock / full touchscreen / color LCD / safety lock / sensitivity adjustment
- Color: black
- Materials: ABS + PC, silicone, nylon
- Waterproof rating: IP66
- Battery life: 15 days
- Battery: 3.7 V / 250 mAh
- Levels: 0-8
- Product size / weight: 68.5 x 36.4 x 41.7 mm / 165 g
- Functions: sound, vibration, sound + vibration



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
165	6.85*3. 64*4.1 7	10.5*6. 5*7	100	53.5*2 7.9*36. 8	18/16. 8

MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and collar.

X06 Color-Screen Bark Collar

- Features: full touchscreen / color LCD / safety lock / sensitivity adjustment
- Color: black
- Materials: ABS + PC, silicone, nylon
- Waterproof rating: IP66
- Battery life: 15 days
- Battery: 3.7 V / 250 mAh
- Levels: 0-8
- Product size / weight: 68.5 x 36.4 x 41.7 mm / 82.5 g
- Functions: sound, vibration, sound + shock, sound + vibration + shock



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
82.5	6.85*3.64*4.17	10.4*6.5*6.8	100	53.5*27.9*36.8	18

MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and collar.

Q03 Ultrasonic Dog Deterrent

- Features: dual ultrasonic emitters / ultrasonic + strobe / one-button operation / auto on-off / compact mini / Type-C charging
- Battery: 1000 mAh
- Standby power: 100 uA; operating power: 500 mA (ultrasonic + strobe), 200 mA (strobe)
- Ultrasonic emitters: 25 kHz + 30 kHz, both operating simultaneously
- Standby time: 12 months
- Charging: all 4 indicators stay on when fully charged
- Use cases: dog deterrence, dog training, outdoor use
- Product size / weight: 116 x 53 mm / 76 g
- Functions: strobe / strobe + ultrasonic



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
76	11.6*5.3	15*10*4	50	52.5*32*23.5	7

MOQ	500pcs
Price	--
Remarks	Custom logo, color, packaging and collar.

X07 Manual/Automatic 2-in-1 Dog Training Collar - 2025 Model

- Features: display remote; manual + automatic modes (training + bark control); smart training; automatic bark control
- Battery: 300 mAh + 500 mAh / Type-C charging
- Remote range: over 1000 m
- Standby time: 15 days, 3 months
- Charging: Type-C
- Use cases: training, bark control
- Remote size:
- Receiver size:
- Pairing: one remote controls two receivers
- Functions: sound, vibration, shock, sound + vibration, LED night light, manual/automatic 2-in-1

Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
179	Remote: Receiver: 12.8*5.	16.8*1 4*5	30	44*36* 27	11.5

Dog Training Collar

- Ultra long distance
- High safety voltage
- Automatic/Manual Mode



MOQ	500
Price (excl. tax)	
Remarks	Custom logo, color and packaging.

X07 Manual/Automatic Dual-Receiver Dog Training Collar - 2025 Model

- Features: display remote; manual + automatic modes (training + bark control); smart training; automatic bark control
- Battery: 300 mAh + 500 mAh / Type-C charging
- Remote range: over 1000 m
- Standby time: 15 days, 3 months
- Charging: Type-C
- Use cases: training, bark control
- Remote size:
- Receiver size:
- Pairing: one remote controls two receivers
- Functions: sound, vibration, shock, sound + vibration, LED night light, manual/automatic 2-in-1

Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
280g	Remote: Receiver: 12.8*5.	19*16. 8*5	30	52.5*40*27.5	12.5

Dog Training Collar

- Ultra long distance
- High safety voltage
- Automatic/Manual Mode



MOQ	500
Price (excl. tax)	
Remarks	Custom logo, color and packaging.

X03 Dog Training Collar

- Features: record/delete training commands; intelligent training
- Battery: 250 mAh + 300 mAh / Type-C charging
- Remote range: over 500 m
- Standby time: 15 days, 3 months
- Charging: Type-C
- Use cases: dog deterrence, dog training, outdoor use
- Remote size: 103 x 51 x 15 mm
- Receiver size: 73 x 39 x 22 mm
- Pairing: one remote controls two receivers
- Functions: sound, vibration, shock, LED night light, recording



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
137g	Remote: 10.3*5.1*1.5	16.8*14*4.5	30	44 * 36 * 27	10.5

MOQ	1000pcs
Price	--
Remarks	Custom logo, color, packaging and collar.


X03B Dog Training Collar

- Features: record/delete training commands; intelligent training
- Battery: 250 mAh + 300 mAh / Type-C charging
- Remote range: over 500 m
- Standby time: 15 days, 3 months
- Charging: Type-C
- Use cases: dog deterrence, dog training, outdoor use
- Remote size: 103 x 51 x 15 mm
- Receiver size: 73 x 39 x 22 mm
- Pairing: one remote controls two receivers
- Functions: sound, vibration, sound + vibration, LED night light, recording



Weight (g)	Product Size (cm)	Color Box Size (cm)	Qty/Carton (pcs)	Carton Size (cm)	G.W./N.W. (kg)
150	Remote: Receiver: 10.3*5.1*1.5	17x14 x4.8	30	44 * 36 * 26 cm	10.5/9

MOQ	1000pcs
Price	--
Remarks	Custom logo, color, packaging and collar.



**THANK
YOU!**